

IN THE SPECIFICATION

n.3  
(

Page 2, line 9, change "LPEG-2" to --MPEG-2--.

Page 3, line 18, after "audio encoder" add --101--.

Page 3, line 18, after "video encoder" add --102--.

Page 3, line 18, after "source" add --104--.

Page 3, line 19, after "source" add --106--.

Page 4, line 2 after the first occurrence of "shown" add --at 500--, and after the second occurrence of "shown" add --at 200--.

Page 4, line 3, after "header" add --201--.

Page 4, line 5, after "payload" add --202--.

Page 5, line 16, change "ans" to --and--.

Page 5, line 17, after "decoder" add --301--.

Page 5, line 24, after "buffer" add --302 and 303--.

Page 5, line 25, after "control" add --304--.

Page 5, line 26, after "decoders" add --305 and 306--.

Page 7, line 10, change "ad" to --and--.

Page 7, line 17, change "provide" to --private--.

Page 8, line 3, after "length" add --401--.

Page 8, line 5, after "code" add --402--.

Page 8, line 6, after "control field" add --405--.

Page 8, line 11, after "field" add --410--.

Page 8, line 19, after "field" add --406--.

Page 8, line 20, delete "is also provided".

Page 8, line 25, after "fields" change the comma to a period.

Page 10, line 13, change "whole" to --while--.

Page 10, line 17, change "Provide" to --Private--.

Page 10, line 27, change "if" to --of--.

Page 11, line 13, change "if" to --of--.

Page 11, line 21, change "id" to --is--.

Page 12, line 5, change "accomplishes" to --accomplished--.

Page 12, line 24, change "a" to --of--.

Page 14, line 19, after "of" add --the--.

Page 14, line 22, after "mechanism" delete the comma.

Page 15, line 3, change "b" to --be--.

Page 15, line 9, change "shown" to --shows--.

Page 16, line 22, change "tine" to --time--.

Page 17, line 9, after "bytes" delete the period.

Page 17, line 16, after "block" add --601--.

Page 17, line 17, after "PARSER" add --602--.

Page 17, line 20, after "If" change "the" to --it--.

Page 17, line 23, after "interface" add --603--.

Page 17, line 24, after "descrambler" add --604--.

Page 17, line 28, after "port" add --605--.

Page 18, line 7, after "buffer" add --610--.

Page 18, line 8, change "tp" to --to--.

Page 18, line 9, change "whole" to --while--.

Page 18, line 15, after the first occurrence of "unloader" add --615--, after "video unloader" add --616--, after "date unloader" add --620--.

Page 18, line 18, after "controller" add --621--.

Page 19, line 1, change "Indictor" to --Indicator--.

Page 19, line 9, change "Indictor" to --Indicator--.

Page 19, line 14, change "indictor" to --indicator--.

Page 19, line 27, change "ate" to --are--.

Page 20, line 9, change "PIS" to --PID--.

Page 23, line 4, after "field" add --200-- and change "byte" to --bytes--.

Page 23, line 14, after "Indicator" add --221--.

Page 23, line 26, after "indicator" add --222--.

Page 24, line 14, after "field" add --230--.

Page 24, line 20 and 21, delete "in units of 90 kHz, and a PCR extension having a 9 bit extension".

Page 25, line 6, change "different" to --difference--.

Page 25, line 15, delete "this".

Page 26, line 16, after "Time Clock) register" add --702-- and after "Threshold register" add --703--.

Page 26, line 17, after "register" add --704--.

Page 26, line 18, after "register" add --705--, and after "generator" add --706--.

Page 26, line 19, after "counter" add --707--.

Page 26, line 22, after "shown" add --at 800--.